













# WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY	POLISHED PORCELAIN TILES - GROUP BIa		PHYSICAL PROPERTIES	POLISHED PORCELAIN TILES - GROUP BIa		CHEMICAL PROPERTIES	POLISHED PORCELAIN TILES - GROUP BIa	
	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	±0.3% /±1.0mm	Passed	 Water Absorption	Maximum 0.5%	Passed	 Chemical Resistance To Household Chemical Or Glazed Tiles	Class UA : No visible effect	No visible effect UA
Thickness	±5% /±0.5mm	Passed	 Breaking Strength	Not Less Than 1300N	Passed	 Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Class UB : Visible effects on cut sides	
Straightness of Sides	±0.3% /±0.8mm	Passed	 Modulus of Rupture	Minimum 35N/mm <sup>2</sup>	Passed		Class UC : Visible effects on cut side,non-cut sides and on the proper surface	
Rectangularity	±0.3% /±1.5mm	Passed	 Resistance to Deep Abrasion of Unglazed Tiles	Maximum 175mm <sup>3</sup>	Passed	 Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	Minimum Class UB	
Flatness of Surface	±0.4% /±1.8mm	Passed	 Resistance to Surface Abrasion of Glazed Tiles	NIL	NIL	 Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	Class ULA : No visible effect	No visible effect ULA
Centre Curvature		Passed				 Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles	Class ULB : Visible effects on cut sides	
Edge Curvature		Passed	Class ULC : Visible effects on cut side,non-cut sides and on the proper surface					
Warpage		Passed	 Crazing Resistance	NIL	NIL			
Surface Quality	A minimum of 95% free from visible defects	Passed						

## SHADE & TONALITIES

V1 UNIFORM FROM TILE TO TILE




V1

Colour range and tonality within the same shade is fairly uniform from tile to tile.

Minimal to zero difference among tiles from the same production run.

V2 SLIGHTLY NOTICEABLE FROM TILE TO TILE




V2

Colour range and tonality within the same shade is slightly noticeable from tile to tile.

Visibly distinguished difference in design or pattern with minimal change in colour tone.

V3 MODERATELY NOTICEABLE FROM TILE TO TILE




V3

Colour range and tonality within the same shade is moderately noticeable from tile to tile.

Visibly distinguished difference in design or pattern.

V4 DISTINCTLY NOTICEABLE FROM TILE TO TILE



V4

Colour range and tonality within the same shade is distinctly noticeable from tile to tile.

Random colour differences from tile to tile create the possibility of unique tile compositions.

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.



WHITE HORSE CERAMIC

**WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.**  
(Co. No. 216824-X)

📍 PLO 464, Jln Gangsa, Zone 11, Pasir Gudang Industrial Estate, 81700 Pasir Gudang, Johor, Malaysia.

☎ (607)253 5300      📞 (607)251 8855

✉ whcisb@whitehorse.com.my      🌐 www.whitehorse.com.my

Scan QR Code





JAN 2024  
CPI1600001

# POLISHED

## Porcelain Tiles

### 600mm X 600mm

Ultimate Quality,  
Timeless Design



WHITE HORSE CERAMIC






HMP66101T


# MILATI SERIES

600mm x 600mm **P** Polished Finish,Unglazed

-   
Porcelain
-   
Floor
-   
Wall
-   
Variation



HMP66100T **P**



HMP66101T **P**

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
600mm x 600mm	4	1.44	32.41	40	57.60	1,319.40






HMP66030T

LOUSKAT SERIES

600mm x 600mm **P** Polished Finish,Unglazed




HMP66030T **P**



HMP66031T **P**

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
600mm x 600mm	4	1.44	32.41	40	57.60	1,319.40









60001T

# NORMAL SERIES

600mm x 600mm **M** Matt Finish **P** Polished Finish,Unglazed



60000T **P** 66000M **M**



60001T **P**

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
600mm x 600mm	4	1.44	31.43	40	57.60	1,280.20
800mm x 800mm	2	1.28	32.48	31	39.68	1,029.88