

### WHITE HORSE TEST REPORTS

	CERAMIC TILES - GROUP BIIa & BIIb			CERAMIC TILES - G	ROUP BIIa & BIIb		CERAMIC TILES - GROUP BIIa & BIIb	
DIMENSIONS AND SURFACE QUALITY	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)	PHYSICAL PROPERTIES	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)	CHEMICAL PROPERTIES	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	± 0.6%/± 2.0mm	Passed	Water Absorption	3% <e≤6% (bha)<br="">6%<e≤10% (bhb)<="" td=""><td>3%<e≤6% (bha)<br="">6%<e≤10%(bhb)< td=""><td>Chemical Resistance To Household Chemical Of Glazed Tiles</td><td>Minimum GB</td><td>No Visible Effect (GA)</td></e≤10%(bhb)<></e≤6%></td></e≤10%></e≤6%>	3% <e≤6% (bha)<br="">6%<e≤10%(bhb)< td=""><td>Chemical Resistance To Household Chemical Of Glazed Tiles</td><td>Minimum GB</td><td>No Visible Effect (GA)</td></e≤10%(bhb)<></e≤6%>	Chemical Resistance To Household Chemical Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Thickness	± 5% /± 0.5mm	Passed	Breaking Strength	Not Less Than 1000N (BIIa) Not Less Than 800N (BIIb)	Passed	Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Straightness of Sides	± 0.5%/± 1.5mm	Passed	Modulus of Rupture	Minimum 22N/mm² (BIIa) Minimum 18N/mm² (BIIb)	Passed	Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	GLA: No Visible Effect	GLA - GLB
Rectangularity	± 0.5%/± 2.0mm	Passed	Resistance to Deep Abrasion of Unglazed Tiles	N/A	N/A	Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	GLB: Definite Change In Appearance	GLA - GLB
Flatness of Surface Centre Curvature	+ 0.5%/± 2.0mm	Passed	Resistance to Surface Abrasion	Class 1 : Soft-Soled Footwear Without Scratching Dirt Class 2 : Soft-Soled Footwear With Small		Chemical Resistance To Potassium Hydroxide	GLC: Partial Or Complete Loss Of The Original Surface	GLA - GLB
Edge Curvature	± 0.5%/± 2.0mm	Passed	of Glazed Tiles	Amounts Scratching Dirt Class 3 : Normal Footwear With Small	Class 1 - 3	(30g/l) Of Glazed Tiles	Minimum Requirement GLB	GEN - GED
Warpage	± 0.5%/± 2.0mm	Passed		Amounts Scratching Birt			Kequilement OLD	
Surface Quality	A minimum of 95% free from visible defects	Passed	Crazing Resistance	No Crazing Observed	Passed	Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Passed

### **SHADE & TONALITIES**











- The accuracy of colours shown in this brochure is as close as the printing process will allow.
  The appearance of tiles featured in this brochure may differ from the actual items sold.
  The pictures are only illustrative of the tile combinations.

  All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
  White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.




### WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.

PLO 464, Jalan Gangsa, Kawasan Perindustrian Pasir Gudang, 81700 Pasir Gudang, Johor. Malaysia.



































600X600MM

# ceramic tiles





### **RAYO SERIES**

600mm x 600mm G Gloss Finish, Glazed Ceramic Floor

















(12 Faces)




C60017 G

(12 Faces)

CITE		CARTON		PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	





# **MONTES SERIES**

















(12 Faces)



C60015 G

(12 Faces)

CITE	CARTON			PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	





# **STATUARIO SERIES**















CITE		CARTON		PALLET		
SILE	pcs	m²	kg	ctns		kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20





# **RUSCELLO SERIES**

600mm x 600mm G Gloss Finish, Glazed Ceramic Floor











C60008 **G** 

(4 Faces)

\$17E		CARTON		PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	



# **CREMA SERIES**

600mm x 600mm **G** Gloss Finish, Glazed Ceramic Hoor














C60006 **G** 


(4 Faces)



C60007 **G** 

(4 Faces)

SI7F		CARTON		PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	



# **COSTIERO SERIES**













CITE		CARTON		PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	



**CARRARA SERIES** 










600mm x 600mm M Matt Finish G Gloss Finish, Glazed







### **NORMAL SERIES**

600mm x 600mm **G** Gloss Finish, Glazed











C17E		CARTON		PALLET			
SILE	pcs	m²	kg	ctns	m²	kg	
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20	