

300X300MM

Floor

ceramic tiles



WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.

(Co. No. 199101006514 (216824-X))

📍 PLO 464, Jalan Gangsa, Kawasan Perindustrian Pasir Gudang, 81700 Pasir Gudang, Johor, Malaysia.

☎ (607)253 5300

☎ (607)251 8855

✉ whcisb@whitehorse.com.my

🌐 www.whitehorse.com.my



Scan QR Code



OCT 2024
CIC1300001

*Ultimate Quality,
Timeless Design*




WHITE HORSE
CERAMIC



FLOOR WALL C30122

MONTES SERIES

300mm x 300mm **M** Matt Finish, Glazed



C30120 **M** (9 Faces)



C30121 **M** (9 Faces)



C30122 **M** (9 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40





FLOOR C30117

RENOVAR SERIES

300mm x 300mm **M** Matt Finish, Glazed



C30115 **M** (1 Face)



C30116 **M** (1 Face)



C30117 **M** (1 Face)



C30118 **M** (1 Face)



C30119 **M** (1 Face)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	clns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40



FLOOR C30089 WALL S30026

ELCANTO SERIES

300mm x 300mm **G** Gloss Finish, **M** Matt Finish, Glazed



NEW!



C30088 **G** (20 Faces)
C30090 **M** (20 Faces)



C30089 **G** (20 Faces)
C30091 **M** (20 Faces)


SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40




FLOOR C30086

RAYO SERIES

300mm x 300mm **G** Gloss Finish, Glazed



C30086 **G** (12 Faces)



C30087 **G** (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40






FLOOR C30077

TRIANA SERIES

300mm x 300mm **G** Gloss Finish, Glazed



C30077 **G** (9 Faces)



C30078 **G** (9 Faces)


SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40




FLOOR C30073

COSTIERO SERIES

300mm x 300mm **C** Gloss Finish, Glazed




C30073 **C** (6 Faces)



C30074 **C** (6 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40






FLOOR C30071


CARRARA SERIES

300mm x 300mm **G** Gloss Finish, Glazed



C30071 **G** (9 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40






VOLAR SERIES

300mm x 300mm **M** Matt Finish, Glazed

PO Phased Out Item, While stock lasts



C30068 **M** **PO** (12 Faces)



C30069 **M** (12 Faces)


SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40



FLOOR C30063

CELULA SERIES

300mm x 300mm **M** Matt Finish, Glazed



C30063 **M** (2 Faces)



C30065 **M** (2 Faces)



C30066 **M** (2 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40





FLOOR C30062

GRANOS SERIES

300mm x 300mm **M** Matt Finish, Glazed



C30058 **M** (6 Faces)



C30059 **M** (6 Faces)



C30060 **M** (6 Faces)



C30061 **M** (6 Faces)




C30062 **M** (6 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1.645.40



JAVEA SERIES

300mm x 300mm  Gloss Finish, Glazed



C30030  (6 Faces)



C30032  (6 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	clns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40



FLOOR C30027

BARROCO SERIES

300mm x 300mm **G** Gloss Finish, Glazed



C30027 **G** (6 Faces)



C30029 **G** (6 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40



GABBRO SERIES

300mm x 300mm **M** Matt Finish, Glazed



C30020 **M** (6 Faces)

SIZE	CARTON			PALLET		
	pcs	m ²	kg	clns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40



FLOOR C30100

NORMAL SERIES


Floor Tiles 300mm x 300mm



Gloss Finish,



Matt Finish, Glazed



C30100 
 C30000 

(1 Face)



SIZE	CARTON			PALLET		
	pcs	m ²	kg	ctns	m ²	kg
300mm x 300mm	15	1.35	20.80	78	105.30	1,645.40

CARE AND MAINTENANCE FOR TILES

IMPORTANT POINTS TO REMEMBER

- Mop regularly with clean water for daily maintenance or generic detergent for routine cleaning.
- Avoid using highly abrasive materials such as scouring pads on glazed tiles as it might scratch and wear out the glaze.
- Wipe and clean away any spills on tiled surfaces to prevent scratching the glaze on tiles.
- Gently sweep away sand or debris on tiled surfaces as it can scratch the glaze on tiles.
- Do not drag heavy objects such as crates across floor which are laid with tiles not specified for heavy duty use.

ENSURING LASTING APPEAL

- Refrain from using cleaning agents which contain hydrofluoric compounds as they are damaging to surface of ceramic tiles.
- Follow carefully all manufacturer's instructions on the application of cleaning agents, to ensure that maximum results are obtained and damage to the tile surface is minimized.



WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY	CERAMIC TILES - GROUP BIIa & BIIb		PHYSICAL PROPERTIES	CERAMIC TILES - GROUP BIIa & BIIb		CHEMICAL PROPERTIES	CERAMIC TILES - GROUP BIIa & BIIb	
	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	± 0.6% / ± 2.0mm	Passed	Water Absorption	3% < E ≤ 6% (BIIa) 6% < E ≤ 10% (BIIb)	3% < E ≤ 6% (BIIa) 6% < E ≤ 10% (BIIb)	Chemical Resistance To Household Chemical Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Thickness	± 5% / ± 0.5mm	Passed	Breaking Strength	Not Less Than 1000N (BIIa) Not Less Than 800N (BIIb)	Passed	Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Straightness of Sides	± 0.5% / ± 1.5mm	Passed	Modulus of Rupture	Minimum 22N/mm ² (BIIa) Minimum 18N/mm ² (BIIb)	Passed	Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	GLA: No Visible Effect	GLA - GLB
Rectangularity	± 0.5% / ± 2.0mm	Passed	Resistance to Deep Abrasion of Unglazed Tiles	N/A	N/A	Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	GLB: Definite Change In Appearance	GLA - GLB
Flatness of Surface	± 0.5% / ± 2.0mm	Passed	Resistance to Surface Abrasion of Glazed Tiles	Class 1: Soft-Soled Footwear Without Scratching (F1) Class 2: Soft-Soled Footwear With Small Amounts Scratching (F2) Class 3: Normal Footwear With Small Amounts Scratching (F3)	Class 1 - 3	Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles	GLC: Partial Or Complete Loss Of The Original Surface Minimum Requirement GLB	GLA - GLB
Centre Curvature	± 0.5% / ± 2.0mm	Passed						
Edge Curvature	± 0.5% / ± 2.0mm	Passed						
Warpage	± 0.5% / ± 2.0mm	Passed						
Surface Quality	A minimum of 95% free from visible defects	Passed	Crazing Resistance	No Crazing Observed	Passed	Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Passed

SHADE & TONALITIES

V1 UNIFORM
FROM TILE TO TILE

V1
Colour range and tonality within the same shade is fairly uniform from tile to tile.
Minimal to zero difference among tiles from the same production run.

V2 SLIGHTLY NOTICEABLE
FROM TILE TO TILE

V2
Colour range and tonality within the same shade is slightly noticeable from tile to tile.
Visibly distinguished difference in design or pattern with minimal change in colour tones.

V3 MODERATELY NOTICEABLE
FROM TILE TO TILE

V3
Colour range and tonality within the same shade is moderately noticeable from tile to tile.
Visibly distinguished difference in design or pattern.

V4 DISTINCTLY NOTICEABLE
FROM TILE TO TILE

V4
Colour range and tonality within the same shade is distinctly noticeable from tile to tile.
Random colour difference from tile to tile create the possibility of unique tile compositions.

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.