

# WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY	PORCELAIN TILES - GROUP BIa		PHYSICAL PROPERTIES	PORCELAIN TILES - GROUP BIa		CHEMICAL PROPERTIES	PORCELAIN TILES - GROUP BIa	
	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	±0.6% / ±2.0mm (Non-Rectified) ±0.3% / ±1.0mm (Rectified)	Passed	Water Absorption	Maximum 0.5%	Passed	Chemical Resistance To Household Chemical Of Glazed Tiles	Class GA(V): No visible effect	No visible effect GA(V)
Thickness	±5% / ± 0.5mm	Passed	Breaking Strength	Not Less Than 1300N		Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Class GB(V): Definite change in appearance Class GC(V): Partial or complete loss of the original surface	
Straightness of Sides	±0.5% / ±1.5mm (Non-Rectified) ±0.3% / ±0.9mm (Rectified)	Passed	Modulus of Rupture	Minimum 35N/mm²	Class 3: For normal footwear with small amounts of scratching dirt. Class 4: For regular traffic with some scratching dirt.	Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	Class GLA(V): No visible effect	No visible effect GLA(V)
Rectangularity	±0.5% / ±2.0mm (Non-Rectified) ±0.3% / ±1.5mm (Rectified)	Passed	Resistance to Deep Abrasion of Unglazed Tiles	NIL		Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	Class GLB(V): Definite change in appearance	
Flatness of Surface	±0.5% / ±2.0mm (Non-Rectified)	Passed	Resistance to Surface Abrasion of Glazed Tiles	Class 3: For normal footwear with small amounts of scratching dirt. Class 4: For regular traffic with some scratching dirt.	Class 3	Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles	Class GLC(V): Partial or complete loss of the original surface	No visible effect GLC(V)
Centre Curvature						Edge Curvature	Warpage	
Surface Quality	A minimum of 95% free from visible defects	Passed	Crazing Resistance	No Crazing Observed	Passed	Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Passed

## SHADE & TONALITIES

<b>V1</b> UNIFORM FROM TILE TO TILE	<b>V2</b> SLIGHTLY NOTICEABLE FROM TILE TO TILE	<b>V3</b> MODERATELY NOTICEABLE FROM TILE TO TILE	<b>V4</b> DISTINCTLY NOTICEABLE FROM TILE TO TILE
<b>V1</b> Colour range and tonality within the same shade is fairly uniform from tile to tile. Minimal to zero difference among tiles from the same production run.	<b>V2</b> Colour range and tonality within the same shade is slightly noticeable from tile to tile. Visibly distinguished difference in design or pattern with minimal change in colour tones.	<b>V3</b> Colour range and tonality within the same shade is moderately noticeable from tile to tile. Visibly distinguished difference in design or pattern.	<b>V4</b> Colour range and tonality within the same shade is distinctly noticeable from tile to tile. Random colour differences from tile to tile create the possibility of unique tile compositions.

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.



**WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.**  
(Co. No. 216824-X)

PLO 464, Jln Gangsa, Zone 11, Pasir Gudang Industrial Estate, 81700 Pasir Gudang, Johor, Malaysia.

(607)253 5300

(607)251 8855

whcisb@whitehorse.com.my

www.whitehorse.com.my



EN 14411 - 2012  
For Internal Flooring

CERT NO: MY97/09994

CERT NO: MY13/04375

2010-2025

2010-2021

Scan QR Code



JAN 2026  
CEP5620001

600X1200MM

porcelain  
stone tiles

Ultimate Quality,  
Timeless Design



**WHITE HORSE**  
CERAMIC



## SANTAFIORA SERIES

H62094

● Avocado color



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



PERLA SERIES

H62093

● Olive color



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



**SILTSTONE** SERIES

H62090

● Peach color



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52

\*Siltstone series available in 600x600mm  
\*Wall Decor H30501



## SILTSTONE SERIES

H62089

● Ash color



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52

\*Siltstone series available in 600x600mm



**BIANCO SERIES**

H62088

● Fog color



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



## MONTES SERIES

H62016

● Light Grey



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52


\*Montes series available in 600x600mm



**MONTES** SERIES

H62015

● Dark Grey



SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52