

WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY		PORCELAIN TILES - GROUP BIa		PHYSICAL PROPERTIES	PORCELAIN TILES - GROUP BIa		CHEMICAL PROPERTIES	PORCELAIN TILES - GROUP BIa	
		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width		±0.6% / ±2.0mm (Non-Rectified) ±0.3% / ±1.0mm (Rectified)	Passed	 Water Absorption	Maximum 0.5%	Passed	 Chemical Resistance To Household Chemical Of Glazed Tiles	Class 6A(V): No visible effect Class 6B(V): Definite change in appearance	No visible effect 6A(V)
Thickness		±5% / ± 0.5mm	Passed	 Breaking Strength	Not Less Than 1300N		 Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Class 6C(V): Partial or complete loss of the original surface Minimum Class 6B(V)	
Straightness of Sides		±0.5% / ±15mm (Non-Rectified) ±0.3% / ±0.8mm (Rectified)	Passed	 Modulus of Rupture	Minimum 35N/mm²		 Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	Class 6LA(V): No visible effect Class 6LB(V): Definite change in appearance	No visible effect 6LA(V)
Rectangularity		±0.5% / ±2.0mm (Non-Rectified) ±0.3% / ±1.5mm (Rectified)	Passed	 Resistance to Deep Abrasion of Unglazed Tiles	NIL		 Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	Class 6C(V): Partial or complete loss of the original surface	
Flatness of Surface	Centre Curvature	±0.5% / ±2.0mm (Non-Rectified)	Passed	 Resistance to Surface Abrasion of Glazed Tiles	Class 3: For normal footwear with small amounts of scratching dirt. Class 4: For regular traffic with some scratching dirt	Class 3	 Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles		
	Edge Curvature	±0.4% / ±1.8mm (Rectified)							
	Warpage								
Surface Quality		A minimum of 95% free from visible defects	Passed	 Crazing Resistance	No Crazing Observed	Passed	 Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Passed

SHADE & TONALITIES

V1 UNIFORM
FROM TILE TO TILE



V1
Colour range and tonality within the same shade is fully uniform from tile to tile.
Minimal to zero difference among tiles from the same production run.

V2 SLIGHTLY NOTICEABLE
FROM TILE TO TILE



V2
Colour range and tonality within the same shade is slightly noticeable from tile to tile.
Visibly distinguished difference in design or pattern with minimal change in colour tones.

V3 MODERATELY NOTICEABLE
FROM TILE TO TILE



V3
Colour range and tonality within the same shade is moderately noticeable from tile to tile.
Visibly distinguished difference in design or pattern.

V4 DISTINCTLY NOTICEABLE
FROM TILE TO TILE



V4
Colour range and tonality within the same shade is distinctly noticeable from tile to tile.
Random colour differences from tile to tile create the possibility of unique tile compositions.

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.



WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.
(Co. No. 199101006514 (216824-X))

📍 PLO 464, Jalan Gangsa, Kawasan Perindustrian Pasir Gudang, 81700 Pasir Gudang, Johor. Malaysia.

📞 (607)253 5300

📞 (607)251 8855

✉️ whcib@whitehorse.com.my

🌐 www.whitehorse.com.my



Scan QR Code



JAN 2026
CLP5630001

*Ultimate Quality,
Timeless Design*



WHITE HORSE
CERAMIC




HQ63040

PETRA SERIES

300mm x 600mm **M** Matt Finish, Glazed **R** Rectified



HQ63039 **M** **R** (12 Faces)



HQ63040 **M** **R** (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80




HQ63037

GASCOGUE SERIES

300mm x 600mm **M** Matt Finish, Glazed **R** Rectified




NEW!



HQ63037 **M** **R**

(12 Faces)



HQ63038 **M** **R**

(12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



HQ63036A

BERGSTONE SERIES

300mm x 600mm **M** Matt Finish, Glazed **AS** Anti Slip **R** Rectified

- Porcelain
- Floor
- Wall
- V3
Variation

NEW!



HQ63035AS **M** **AS** **R** (12 Faces)



HQ63036AS **M** **AS** **R** (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63139

ELCANTO SERIES

300mm x 600mm **M** Matt Finish, Glazed **AS** Anti Slip **R** Rectified

- Porcelain
- Floor
- Wall
- V3
Variation

NEW!



HQ63034AS **M** **AS** **R** (15 Faces)



H63138 **M** (15 Faces)



H63139 **M** (15 Faces)



H63140 **M** (15 Faces)



H63141 **M** (15 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



HQ63042 HQ63043

FINO SERIES

300mm x 600mm **M** Matt Finish, Glazed **R** Rectified

- 
Porcelain
- 
Floor
- 
Wall
- 
Variation



HQ63042 **M** **R** (12 Faces)



HQ63043 **M** **R** (12 Faces)



HQ63044 **M** **R** (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



WALL HQ63032 FLOOR HQ63033

RAYO SERIES

300mm x 600mm **M** Matt Finish, Glazed **R** Rectified

- Porcelain
- Floor
- Wall
- V3
Variation



HQ63032 **M** **R** (15 Faces)



HQ63033 **M** **R** (15 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



HQ63024

COSTIERO SERIES

300mm x 600mm **M** Matt Finish, Glazed, **R** Rectified



HQ63024 **M** **R**

(5 Faces)



HQ63025 **M** **R**

(5 Faces)



HQ63026 **M** **R**

(5 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



HQ63022

PRIMOROSO SERIES

300mm x 600mm **M** Matt Finish, Glazed, **R** Rectified



HQ63018 **M** **R**

(12 Faces)



HQ63021 **M** **R**

(12 Faces)



HQ63022 **M** **R**

(12 Faces)



HQ63023 **M** **R**

(12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80




HQ63000


NORMAL SERIES

300mm x 600mm **M** Matt Finish, Glazed

- Porcelain
- Floor
- Wall
- V2
Variation



HQ63000 **M** **R** (1 Face)



HQ63001 **M** **R** (1 Face)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80




WALL H63137 FLOOR H63136

MOLVENO SERIES

300mm x 600mm M Matt Finish, Glazed

- Porcelain
- Floor
- Wall
- V3
Variation



H63135 M (12 Faces)



H63136 M (12 Faces)



H63137 M (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80




H63133

BENE SERIES

300mm x 600mm **S** Structure Finish, Glazed, **C** Color Body **PO** Phased Out Item, While stock last

- Porcelain
- Floor
- Wall
- V2
Variation



H63131/H63131W **S** **PO**



H63132/H63132W **S** **PO**



H63133/H63133W **S** **PO**



H63134/H63134W **S** **PO**

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80




H63122

COSTIERO SERIES

300mm x 600mm **M** Matt Finish, Glazed, **C** Color Body

- Porcelain
- Floor
- Wall
- V2
Variation



H63122 **M** **C** (5 Faces)



H63125 **M** **C** (5 Faces)



H63126 **M** **C** (5 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63112

SILTSTONE SERIES

300mm x 600mm **M** Matt Finish, Glazed

- Porcelain
- Floor
- Wall
- V3
Variation



H63110 **M** (9 Faces)



H63112 **M** (9 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



WALL FLOOR H63109

CALIDO SERIES

300mm x 600mm S Structure Finish, Glazed PO Phased Out Item, While stock last

- 
Porcelain
- 
Floor
- 
Wall
- 
Variation



H63105 S PO (1 Face)



H63109 S PO (1 Face)



SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80
300mm x 300mm	15	1.35	24.45	78	105.30	1,859.90



H63096

CELULA SERIES

300mm x 600mm **M** Matt Finish, Glazed



H63093 **M**

(2 Faces)



H63094 **M**

(2 Faces)



H63095 **M**

(2 Faces)



H63096 **M**

(2 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



FLOOR H63090 WALL H63091S

BOSQUE SERIES

300mm x 600mm **M** Matt Finish, Glazed



H63089 **M**

(6 Faces)



H63090 **M**

(6 Faces)



H63091 **M**

(6 Faces)



H63092 **M**

(6 Faces)



H63091S **M**

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63084

MONTES SERIES

300mm x 600mm **M** Matt Finish, Glazed

- Porcelain
- Floor
- Wall
- V3
Variation



H63082 **M** (12 Faces)



H63083 **M** (12 Faces)



H63084 **M** (12 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63077

FILO SERIES

300mm x 600mm **M** Matt Finish, Glazed , **C** Color Body

- Porcelain
- Floor
- Wall
- V3
Variation



H63076 **M****C** (5 Faces)



H63077 **M****C** (5 Faces)


SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



FLOOR H63062 H63063 WALL H63065S H63062

MORBIDO SERIES

300mm x 600mm **M** Matt Finish, Glazed



H63061 **M** (2 Faces)



H63062 **M** (2 Faces)



H63063 **M** (2 Faces)



H63065 **M** (2 Faces)



H63065S **M** (2 Faces)



H63066 **M** (2 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63627

ALSINEA SERIES

300mm x 600mm **S** Structure Finish, Glazed, **C** Color Body **PO** Phased Out Item, While stock last



H63625 **S** **C**

(4 Faces)



H63626 **S** **C** **PO**

(4 Faces)



H63627 **S** **C**

(4 Faces)



H63630 **S**

(4 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



H63043

MATERIE SERIES

300mm x 600mm **M** Matt Finish, Glazed

- Porcelain
- Floor
- Wall
- V2
Variation



H63043 **M** (4 Faces)



H63045 **M** (4 Faces)



H63046 **M** (4 Faces)



H63047 **M** (4 Faces)



H63048 **M** (4 Faces)

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
300mm x 600mm	8	1.44	29.40	72	103.68	2,139.80



L63009

NORMAL SERIES

30mm x 600mm MB Metallic Border, Glazed PO Phased Out Item, While stock last



L63000 MB PO



L63001 MB PO



L63002 MB PO



L63003 MB PO



L63004 MB PO



L63005 MB PO



L63006 MB PO



L63007 MB PO



L63008 MB PO



L63009 MB PO

20mm x 600mm MB Metallic Border, Glazed



L63500 MB PO



L63501 MB PO



L63502 MB PO

SIZE	CARTON			PALLET		
	pcs	m²	kg	ctns	m²	kg
30mm x 600mm	40	0.72	15.11	64	46.08	989.04
20mm x 600mm	45	0.54	10.73	64	34.56	708.72

CARE AND MAINTENANCE FOR TILES

IMPORTANT POINTS TO REMEMBER

- Mops regularly with clean water for daily maintenance or generic detergent for routine cleaning.
- Avoid using highly abrasive materials such as scouring pads on glazed tiles as it might scratch and wear out the glaze.
- Wipe and clean away any spills on tiled surfaces to prevent scratching the glaze on tiles.
- Gently sweep away sand or debris on tiled surfaces as it can scratch the glaze on tiles.
- Do not drag heavy objects such as crates across floor which are laid with tiles not specified for heavy duty use.

ENSURING LASTING APPEAL

- Refrain from using cleaning agents which contain hydrofluoric compounds as they are damaging to surface of ceramic tiles.
- Follow carefully all manufacturer’s intructions on the application of cleaning agents, to ensure that maximum results are obtained and damage to the tile surface is minimized.




WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY		PORCELAIN TILES - GROUP BIa		PHYSICAL PROPERTIES	PORCELAIN TILES - GROUP BIa		CHEMICAL PROPERTIES	PORCELAIN TILES - GROUP BIa	
		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width		±0.5% / ±2.0mm (Non-Rectified) ±0.3% / ±1.0mm (Rectified)	Passed	 Water Absorption	Maximum 0.5%	Passed	 Chemical Resistance To Household Chemical Of Glazed Tiles	Class 6A(V): No visible effect Class 6B(V): Definite change in appearance	No visible effect 6A(V)
Thickness		±5 % / ± 0.5mm	Passed	 Breaking Strength	Not Less Than 1300N		 Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Class 6C(V): Partial or complete loss of the original surface Minimum Class 6B(V)	
Straightness of Sides		±0.5% / ±1.5mm (Non-Rectified) ±0.3% / ±0.8mm (Rectified)	Passed	 Modulus of Rupture	Minimum 35N/mm ²		 Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	Class 6LA(V): No visible effect	No visible effect 6LA(V)
Rectangularity		±0.5% / ±2.0mm (Non-Rectified) ±0.3% / ±1.5mm (Rectified)	Passed	 Resistance to Deep Abrasion of Unglazed Tiles	NIL		 Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	Class 6LB(V): Definite change in appearance	
Fitness of Surface	Centre Curvature	±0.5% / ±2.0mm (Non-Rectified)	Passed	 Resistance to Surface Abrasion of Glazed Tiles	Class 3: For normal footwear with small amounts of scratching dirt. Class 4: For regular traffic with some scratching dirt	Class 3	 Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles	Class 6LC(V): Partial or complete loss of the original surface	
	Edge Curvature	±0.4% / ±1.8mm (Rectified)			 Staining Resistance Test Of Glazed Tiles		Minimum Class 3	Passed	
	Warpage								
Surface Quality		A minimum of 95% free from visible defects	Passed	 Crazing Resistance	No Crazing Observed	Passed	 Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Passed

SHADE & TONALITIES

V1 UNIFORM FROM TILE TO TILE



V1 Colour range and tonality within the same shade is fairly uniform from tile to tile. Minimal to zero difference among tiles from the same production run.

V2 SLIGHTLY NOTICEABLE FROM TILE TO TILE



V2 Colour range and tonality within the same shade is slightly noticeable from tile to tile. Visibly distinguished difference in design or pattern with minimal change in colour tones.

V3 MODERATELY NOTICEABLE FROM TILE TO TILE



V3 Colour range and tonality within the same shade is distinctly noticeable from tile to tile. Visibly distinguished difference in design or pattern.

V4 DISTINCTLY NOTICEABLE FROM TILE TO TILE



V4 Colour range and tonality within the same shade is distinctly noticeable from tile to tile. Random colour differences from tile to tile create the possibility of unique tile compositions.

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.